



avant

*unconventional
design*



Avant is an innovative range of switches, designed for those who want to combine modern design with maximum practicality. Elegant shapes, quality materials and easy operation make every press a pleasant experience. The switch frames are made of high-quality aluminium, ensuring not only durability but also adding a light aesthetic element to every room.

aluminium collection

A new design series of switches and sockets, that thanks to progressive sockets, will elevate your space to a new level and highlight the beauty of modern interiors, thanks to progressive craftsmanship. The main design feature is the rocker switch control, which gives the switches a sophisticated look while allowing comfortable and intuitive control of the lights.



aluminium white frame
/ rocker switch control white



aluminium black frame
/ rocker switch control black



aluminium black frame
/ sockets cover black matt

sets



single toggle switch
(arrangement 1, 2, 6, 7, 1/0),
press button up to 24V



single toggle switch
(arrangement 5, 6+6, 1/0+1/0),
shutter switch,
press button up to 24V




single sockets



schuko
single sockets



TV + SAT sockets



2x PC sockets



2x USB-A charging
sockets



USB-A + USB-C charging
sockets



2x USB-C charging
sockets



USB-A charging
sockets



EBERLE digital
thermostat universal
(application as floor and
combined, it is
necessary to buy
a sensor)



EBERLE analogue
ROOM / FLOOR
thermostat under
plaster mounting
(with sensor)

covers



01
white
35
white matt




02
black
34
black matt

frames

aluminium



01
white



02
black

metal



01
white










02
black

rocker switch controls











* Illustrative photo - any data connector can be selected from the range Accessories.

frame multiplicities

						dimensions (h*w) 90*90 mm
DSA RA-10000-11xx	DSA RA-20000-11xx	DSA RA-30000-11xx	DSA RA-40000-11xx	DSA RA-50000-11xx	DSA RA-60000-11xx	
			frame for data socket	frame for 2* data sockets	frame for blind cover	
						
DSA RA-T0000-11xx						
frame for thermostat						

horizontal















					dimensions (h*w) 90*161 mm
DSA RA-11000-12xx	DSA RA-22000-12xx	DSA RA-33000-12xx	DSA RA-12000-12xx	DSA RA-13000-12xx	
					
DSA RA-11100-13xx	DSA RA-33300-13xx	DSA RA-13300-13xx			

vertical


					dimensions (h*w) 161*90mm
DSA RA-11000-21xx	DSA RA-22000-21xx	DSA RA-33000-21xx	DSA RA-12000-21xx	DSA RA-13000-21xx	

Other combinations of multiple frames can be custom made.


horizontal | custom made

				dimensions (h*w) 90*161 mm	
DSA RA-24000-12xx	DSA RA-23000-12xx	DSA RA-44000-12xx	DSA RA-14000-12xx		
					dimensions (h*w) 90*232 mm
DSA RA-22300-13xx	DSA RA-11400-13xx	DSA RA-11300-13xx	DSA RA-33400-13xx	DSA RA-44400-13xx	
					
DSA RA-22200-13xx	DSA RA-23300-13xx	DSA RA-24300-13xx	DSA RA-14300-13xx	DSA RA-12400-13xx	

vertical | custom made























				dimensions (h*w) 161*90mm
DSA RA-14000-21xx	DSA RA-23000-21xx	DSA RA-24000-21xx	DSA RA-44000-21xx	

fittings / sockets

	EBERLE analogue ROOM thermostat under plaster mounting DSA 2T-00000		EBERLE analogue FLOOR thermostat under plaster mounting, with sensor DSA 3T-00000		EBERLE digital thermostat universal DSA 4T-00000
--	--	---	---	--	---

i When selecting a universal digital thermostat and connecting it as a floor thermostat, it is necessary to purchase the floor sensor DSA 56 separately.
WARNING: For vertical installation, use installation boxes designed for double or triple frames; do not use separate connected boxes.

fittings / sockets

	fitting, arrangement 1 singlepole switch, 10 AX, 250 V AC DSA 01-00001 white DSA 01-00002 black		sockets single, cover white safety shutters 16 A, 250 V AC DSA ZI-Z1001 white DSA ZI-Z1035 white matt DSA ZI-Z1002 black DSA ZI-Z1034 black matt
	fitting, arrangement 2 twopole switch, 10 AX, 250 V AC DSA 02-00001 white DSA 02-00002 black		sockets schuko single, cover white safety shutters 16 A, 250 V AC DSA SI-S1001 white DSA SI-S1035 white matt DSA SI-S1002 black DSA SI-S1034 black matt
	fitting, arrangement 5 serial change-over switch, 10 AX, 250 V AC DSA 05-00001 white DSA 05-00002 black		2x USB-A charging sockets 2x connector:: USB - charging, 2,1 A, 10,5 W DSA 96-00001 keystone white DSA 96-00002 keystone black
	fitting, arrangement 6 AC change-over switch, 10 AX, 250 V AC DSA 06-00001 white DSA 06-00002 black		2x USB-C charging sockets 2x connector:: USB - charging, 2,1 A, 10,5 W DSA 9C-00001 keystone white DSA 9C-00002 keystone black
	fitting, arrangement 7 crossbar switch, 10 AX, 250 V AC DSA 07-00001 white DSA 07-00002 black		TV + SAT sockets 1 connector:: female, Z=75 Ω DSA 97-00001 keystone white DSA 97-00002 keystone black
	fitting, arrangement 1/0 switching controller, 10 AX, 250 V AC DSA 10-00001 white DSA 10-00002 black		2x PC Cat. 5E sockets 2x connector:: RJ 45 cat. 5E, UTP DSA 93-00001 keystone white DSA 93-00002 keystone black
	fitting, arrangement 1/0+1/0 switching controller, double, 10 AX, 250 V AC could be used as a blind controller without blocking DSA 11-00001 white DSA 11-00002 black		2x PC Cat. 6 sockets 2x connector:: RJ 45 cat. 6, UTP DSA 98-00001 keystone white DSA 98-00002 keystone black
	fitting, arrangement 6+6 switching controller, double, 10 AX, 250 V AC DSA 66-00001 white DSA 66-00002 black		passive switch for intelligent systems with 1 rocker switch control 12 V DC/ 24 V DC depending on type DSA KC-01001 white DSA KC-01002 black
	press button switch 1/0 press button, up to 24V 50 mA, 24 V DC DSA 17-00001 white DSA 17-00002 black		passive switch for intelligent systems with 2 rocker switch controls 12 V DC/ 24 V DC depending on type DSA KC-02001 white DSA KC-02002 black
	press button switch 1/0+1/0 Up to 24 V, with gold plated contacts up to 50 mA, 24 V DC DSA 18-00001 white DSA 18-00002 black		support frame for blind cover DSA 60-00000
	fitting for shutter controller 10 AX, 250 V AC DSA 16-00001 white DSA 16-00002 black		support frame for data sockets DSA 90-00000

i The rockers are part of switching mechanisms. Passive short press switch for intelligent systems can also be used for KNX systems.